ELSEVIER

Journal of Organometallic Chemistry 655 (2002) 245

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 655

Alcón, M.J., 134
Antiñolo, A., 63
Arif, A.M., 158
Asselberghs, I., 70

Bassindale, A.R., 1
Baukov, Y.I., 1
Bilgin-Eran, B., 105
Bondarev, O.G., 204
Boxel, R.V., 70

Cai, R.-F., 120
Castro-Juiz, S., 127
Chang, Y.-C., 49, 172
Chen, S.-C., 172
Chen, X., 89
Chen, P.-P., 49
Cheung, S.-H., 39
Corma, A., 134

Daniel, K.L., 192
d'Arbeloff-Wilson, S.E., 7
Davankov, V.A., 204
del Hierro, I., 63
del Río, D., 16
Do, Y., 186
Du, C., 89

Ernst, R.D., 158
Expósito, T., 63

Fernández, J.J., 127
Fernández, A., 127
Field, L.D., 146
Furilla, J.L., 192

Galindo, A., 16
Gallagher, J.F., 70
Garcia, M.H., 70
Gavrilov, K.N., 204
Guo, J.-P., 89

Hambley, T.W., 146
Haukka, M., 31
He, L., 233
Heng, L., 182
Heuer, B., 55
Hitchcock, P.B., 7
Hong, F.-E., 49, 172
Hu, N., 167
Huang, Z., 233
Huang, Z.-X., 120
Huang, Z.-E., 120
Huang, Y.-L., 49
Huang, X., 39
Hudson, R.D.A., 70

Huikai, S., 182
Humphreys, A.S., 227

Iglesias, M., 134
Ikonnikov, N.S., 204

Jain, V.K., 218
Jin, G.-X., 167

Kaim, W., 218
Kairies, D., 96
Kalinin, V.N., 204
Kim, Y., 186
Kinnunen, T.-J.J., 31
Knödler, A., 218
Korostylev, A.V., 204
Koutsantonis, G.A., 227
Kulsomphob, V., 158

Lebedev, R.V., 204
Lin, C., 233
Lin, Z., 39
Liu, D.-S., 89
Lopes, N., 70
López-Torres, M., 127
Lough, A.J., 70
Lucas, D., 63
Lyubimov, S.E., 204

Manning, A.R., 70
Maruyama, G., 23
Matthews, M.L., 55
Messerle, B.A., 146
Moiseev, S.K., 204
Möller, F., 96
Mugnier, Y., 63

Negrebetsky, V.V., 1
Nixon, J.F., 7
Nyulászi, L., 7

Orive, I., 63
Otero, A., 63

Pakkanen, T.A., 31
Pereira, M., 127
Persoons, A., 70
Pesonen, E., 31
Petrovskii, P.V., 204
Polosukhin, A.I., 204
Prashar, S., 63
Pritzkow, H., 96

Qingmin, W., 182

Radius, U., 96

Rasul, T., 115
Reid, G., 55
Ren, T., 239
Rheingold, A.L., 158
Ripley, M., 55
Rüffer, T., 111
Runqiu, H., 182

Sánchez, F., 134
Sato, M., 23
Schmidt, H., 111
Schmidt, S., 96
Schorm, A., 96
Shyryaev, A.A., 204
Skelton, B.W., 227
Soler, L.P., 146
Son, D.Y., 115
Steinborn, D., 111
Suárez, A., 127
Sun, H., 233
Sundermeyer, J., 96

Tanemura, A., 23
Taylor, P.G., 1
Tomaszewski, R., 158
Torabi, A.A., 227
Tsai, Y.-T., 172
Turner, P., 146

Uzman, S., 105

Vila, J.M., 127

Wei, X.-H., 89
White, A.H., 227
Wojcicki, A., 192
Wong, W.-Y., 39
Wu, K., 233
Wu, Q.-J., 120

Xu, G., 239

Yonghong, L., 182
Yörür, Ç., 105
Yousef, R.I., 111

Záliš, S., 218
Zhang, J., 120
Zhang, C.-M., 120
Zhang, L.-X., 120
Zhou, Z., 233
Zhou, X.-G., 120
Zhu, H., 167
Zhu, M., 120
Zhuang, B., 233

Elsevier Science B.V.
PII: S0022-328X(02)01611-X

ELSEVIER

Journal of Organometallic Chemistry 655 (2002) 247–250

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 655

η^3-(2-Alkoxyallyl)
Reactions of $[(PPh_3)_2Pt(\eta^3\text{-}CH_2CCPh)]^+$ with oxygen nucleophiles and chemistry of resultant $[(PPh_3)_2Pt(\eta^3\text{-}CH_2C(OR)CHPh)]^+$ complexes, 192
η^3-Allenyl–propargyl
Reactions of $[(PPh_3)_2Pt(\eta^3\text{-}CH_2CCPh)]^+$ with oxygen nucleophiles and chemistry of resultant $[(PPh_3)_2Pt(\eta^3\text{-}CH_2C(OR)CHPh)]^+$ complexes, 192
Aminomethylferrocene
Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182
Asymmetric ansa-complexes
Synthesis and electrochemistry of niobium complexes incorporating asymmetrically substituted *ansa*-ligands, 63

Benzimidazole ligands
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
Binuclear ruthenocene derivatives
The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23
Bipyridine
Ruthenium complexes with 2,2′-, 2,4′- and 4,4′-bipyridine ligands: The role of bipyridine coordination modes and halide ligands, 31
Bis-alkynyl compounds
Synthesis and characterization of *trans*-phenylethynylalkynyl adducts on a tetraanilinopyridinato-diruthenium(III) core, 239
Butadiene
Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16

Carbonyl complexes
Chemistry and ligating properties of the 1,2,4-thiadiphosphole $P_2SC_2Bu^t_2$, 7
Carbonyl substitution
Phosphine substituted $Ru_3(\mu\text{-dppm})(CO)_{10}$: structural trends within $[Ru_3(\mu\text{-dppm})(PR_3)(CO)_9]$ (R = Et, Ph, Cy and Pr^i), 227
Chiral ligand
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Cluster
Phosphine substituted $Ru_3(\mu\text{-dppm})(CO)_{10}$: structural trends within $[Ru_3(\mu\text{-dppm})(PR_3)(CO)_9]$ (R = Et, Ph, Cy and Pr^i), 227
Clusters
Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4′-dipyridyl unit, 39
Co–B compound
Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond, $Co(CO)_3(PPh_3)_2BEt_3$, and mixed metal Co–Fe–S cluster with possible nonlinear optical property, $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$, 233

Co–Fe–S compound
Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond, $Co(CO)_3(PPh_3)_2BEt_3$, and mixed metal Co–Fe–S cluster with possible nonlinear optical property, $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$, 233
CO insertion
Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt–carbon bond, 172
Copper
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with C_2-multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134
Copper(II) complexes
Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105
Crystal structures
Addition reactions of bis(trimethylsilyl)methyl- and 1-azzallyl-lithium with cyanoamines into triazines or β-diketiminato-lithium compounds, 89
Chiral organometallic chromophores for nonlinear optics derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+$ $[BF_4]^-$, 70
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4′-dipyridyl unit, 39
Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of $[(C_5H_4SiMe_2Bu^t)_2Gd(\mu\text{-}Cl)]_2$ and $(C_5H_4SiMe_2Bu^t)_2Er(SBT)(THF)$, 120
Cyanoacrylates
Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182
Cyclometallation
Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of $[(PPh_3)(Cl)PdN(Cy){=}C(H)C_6H_2C(H){=}N(Cy)\ Pd(Cl)(PPh_3)]$ and $[\{PdN(Cy){=}C(H)C_6H_2C(H){=}N(Cy)\text{-}Pd\}\{Ph_2PC(H){=}C(H)PPh_2\text{-}P,P\}_2][ClO_4]_2$, 127
Cyclooctadienyl complex
Synthesis, spectroscopy, and structural characterization of carbonyl and cage phosphite adducts of edge-bridged open metallocenes, 158
Cyclopropanation
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with C_2-multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134

DFT
Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16

Elsevier Science B.V.
PII: S0022-328X(02)01613-3

Diazabutadiene
Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16
Diketiminato complexes
Addition reactions of bis(trimethylsilyl)methyl- and 1-azzallyl-lithium with cyanoamines into triazines or β-diketiminato-lithium compounds, 89
Dimetallic compound
The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentdienyl-molybedenum tricarbonyl dimer, 49
Dioxaborolane
The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23
Diphenyl-2-pyridylphosphine
Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt–carbon bond, 172

Electrochemistry
Synthesis and electrochemistry of niobium complexes incorporating asymmetrically substituted *ansa*-ligands, 63
Electrophilic
Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1
Enantioselective hydrogenation
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with C_2-multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134
Ene-diamido
Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16
Ethylene polymerization
Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167

Ferrocene
Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182
Functionalized methyl carbanions
Tin–magnesium transmetallation reactions, 111

Half-metallocene
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Halide ligand
Ruthenium complexes with 2,2′-, 2,4′- and 4,4′-bipyridine ligands: The role of bipyridine coordination modes and halide ligands, 31
Herbicidal activities
Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182
High molecular weight
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Hydrosilylation
Hydrosilylation reactions of tetramethyldisilazanes and their derivatives, 115
Hyper-Raleigh scattering
Chiral organometallic chromophores for nonlinear optics derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+$ $[BF_4]^-$, 70

Imido complexes, organometallic
Dimers of highly π-loaded organoimido d^1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96
Insertion
Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of $[(C_5H_4SiMe_2Bu^t)_2Gd(\mu\text{-}Cl)]_2$ and $(C_5H_4SiMe_2Bu^t)_2Er(SBT)$-(THF), 120
Iron
Chiral organometallic chromophores for nonlinear optics derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+$ $[BF_4]^-$, 70
Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
Isomeric forms
The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentdienyl-molybedenum tricarbonyl dimer, 49

Kurtz powder
Chiral organometallic chromophores for nonlinear optics derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+$ $[BF_4]^-$, 70

Liquid crystals
Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105

Mercaptopyridine
Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt–carbon bond, 172
Mercaptopyrimidine
The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentdienyl-molybedenum tricarbonyl dimer, 49
Metal carbonyl
Synthesis, spectroscopy, and structural characterization of carbonyl and cage phosphite adducts of edge-bridged open metallocenes, 158
Metallocene catalysts
Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167
Metallomesogens
Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105
Metal–metal bonds
Dimers of highly π-loaded organoimido d^1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96
Metal-promoted reaction
The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentdienyl-molybedenum tricarbonyl dimer, 49
Molecular orbital calculations
Synthesis, characterization and theoretical studies of new hetero-metallic carbonyl clusters bridged by 4,4′-dipyridyl unit, 39
Molybdenum
Dimers of highly π-loaded organoimido d^1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96

Niobium
Dimers of highly π-loaded organoimido d^1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96
Synthesis and electrochemistry of niobium complexes incorporating

asymmetrically substituted *ansa*-ligands, 63
Niobocene
Synthesis and electrochemistry of niobium complexes incorporating asymmetrically substituted *ansa*-ligands, 63
N ligands
Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
NMR spectroscopy
A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$ and $Ph_2P(CH_2)_2S(CH_2)_2S(CH_2)_2PPh_2$ with Group 6 and 7 carbonyls, 55
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
N,*N*,*N*-Tris((*R*)-2-phenylethanol)amine
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Nonlinear optics
Chiral organometallic chromophores for nonlinear optics derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C{-}CH_3)]^+$ $[BF_4]^-$, 70
Nucleophilic addition
Reactions of $[(PPh_3)_2Pt(\eta^3\text{-}CH_2CCPh)]^+$ with oxygen nucleophiles and chemistry of resultant $[(PPh_3)_2Pt(\eta^3\text{-}CH_2C(OR)CHPh)]^+$ complexes, 192

Open metallocene
Synthesis, spectroscopy, and structural characterization of carbonyl and cage phosphite adducts of edge-bridged open metallocenes, 158
Organolanthanide
Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of $[(C_5H_4SiMe_2Bu^t)_2Gd(\mu\text{-}Cl)]_2$ and $(C_5H_4SiMe_2Bu^t)_2Er(SBT)(THF)$, 120
Organomagnesium compounds
Tin–magnesium transmetallation reactions, 111
Organotin compounds
Tin–magnesium transmetallation reactions, 111
η^3-Oxatrimethylenemethane
Reactions of $[(PPh_3)_2Pt(\eta^3\text{-}CH_2CCPh)]^+$ with oxygen nucleophiles and chemistry of resultant $[(PPh_3)_2Pt(\eta^3\text{-}CH_2C(OR)CHPh)]^+$ complexes, 192

Palladium complexes
New amino-, imino- and oxazolinophosphites based on 1,1′-bi-2-naphtol: coordination and catalytic properties, 204
Palladium(II)
Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of $[(PPh_3)(Cl)PdN(Cy){=}C(H)C_6H_2C(H){=}N(Cy)\ Pd(Cl)(PPh_3)]$ and $[\{PdN(Cy){=}C(H)C_6H_2C(H){=}N(Cy)\text{-}Pd\}\{Ph_2PC(H){=}C(H)PPh_2\text{-}P,P\}_2][ClO_4]_2$, 127
Pd-catalyzed allylation
New amino-, imino- and oxazolinophosphites based on 1,1′-bi-2-naphtol: coordination and catalytic properties, 204
Pentacoordinate
Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1
Pentamethylcyclopentadienyl
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Phosphaalkyne
Chemistry and ligating properties of the 1,2,4-thiadiphosphole $P_2SC_2Bu^t_2$, 7
Phosphine
Phosphine substituted $Ru_3(\mu\text{-dppm})(CO)_{10}$: structural trends within $[Ru_3(\mu\text{-dppm})(PR_3)(CO)_9]$ (R = Et, Ph, Cy and Pr^i), 227
Phosphines
Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of $[(PPh_3)(Cl)PdN(Cy){=}C(H)C_6H_2C(H){=}N(Cy)\ Pd(Cl)(PPh_3)]$ and $[\{PdN(Cy){=}C(H)C_6H_2C(H){=}N(Cy)\text{-}Pd\}\{Ph_2PC(H){=}C(H)PPh_2\text{-}P,P\}_2][ClO_4]_2$, 127
Phosphites
New amino-, imino- and oxazolinophosphites based on 1,1′-bi-2-naphtol: coordination and catalytic properties, 204
Platinum complexes
Reactions of $[(PPh_3)_2Pt(\eta^3\text{-}CH_2CCPh)]^+$ with oxygen nucleophiles and chemistry of resultant $[(PPh_3)_2Pt(\eta^3\text{-}CH_2C(OR)CHPh)]^+$ complexes, 192
Platinum compounds
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
P,*N*-ligands
New amino-, imino- and oxazolinophosphites based on 1,1′-bi-2-naphtol: coordination and catalytic properties, 204
P/O- and P/S-donor ligands
A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$ and $Ph_2P(CH_2)_2S(CH_2)_2S(CH_2)_2PPh_2$ with Group 6 and 7 carbonyls, 55
Polymer immobilized metallocene
Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167
Polymerization
Hydrosilylation reactions of tetramethyldisilazanes and their derivatives, 115
Pyrazolylmethane
Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146

Rearrangement
Reactions of $[(PPh_3)_2Pt(\eta^3\text{-}CH_2CCPh)]^+$ with oxygen nucleophiles and chemistry of resultant $[(PPh_3)_2Pt(\eta^3\text{-}CH_2C(OR)CHPh)]^+$ complexes, 192
Redox behavior
The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23
Rh-catalyzed hydrosilylation
New amino-, imino- and oxazolinophosphites based on 1,1′-bi-2-naphtol: coordination and catalytic properties, 204
Rhenium
Dimers of highly π-loaded organoimido d^1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96
Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4′-dipyridyl unit, 39
Rhodium
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with C_2-multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134
Rhodium complexes
New amino-, imino- and oxazolinophosphites based on 1,1′-bi-2-naphtol: coordination and catalytic properties, 204
Ruthenium
Phosphine substituted $Ru_3(\mu\text{-dppm})(CO)_{10}$: structural trends within $[Ru_3(\mu\text{-dppm})(PR_3)(CO)_9]$ (R = Et, Ph, Cy and Pr^i), 227

Ruthenium complexes
Ruthenium complexes with 2,2′-, 2,4′- and 4,4′-bipyridine ligands: The role of bipyridine coordination modes and halide ligands, 31

μ_4-S centered spirocyclic form
The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentdienylmolybedenum tricarbonyl dimer, 49
Schiff-base
Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of $[(PPh_3)(Cl)PdN(Cy)=C(H)C_6H_2C(H)=N(Cy)\ Pd(Cl)(PPh_3)]$ and $[\{PdN(Cy)=C(H)C_6H_2C(H)=N-NCy)Pd\}\{Ph_2PC(H)=C(H)PPh_2\text{-}P,P\}_2][ClO_4]_2$, 127
Schiff bases
Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105
Second harmonic generation
Chiral organometallic chromophores for nonlinear optics derived from $[Fe_2(\eta^5\text{-}C_5H_5)_2(CO)_2(\mu\text{-}CO)(\mu\text{-}C-CH_3)]^+\ [BF_4]^-$, 70
Silane bridged metallocene
Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167
Silazane
Hydrosilylation reactions of tetramethyldisilazanes and their derivatives, 115
Silicon
Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1
Silicotropic rearrangements
Addition reactions of bis(trimethylsilyl)methyl- and 1-azzallyllithium with cyanoamines into triazines or β-diketiminatolithium compounds, 89
Substituted cyclopentadienyl
Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of $[(C_5H_4SiMe_2Bu^t)_2Gd(\mu\text{-}Cl)]_2$ and $(C_5H_4SiMe_2Bu^t)_2Er(SBT)(THF)$, 120
Substitution
Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1
Sulfido-tricobalt clusters
Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt–carbon bond, 172
Suzuki–Miyaura coupling reaction
The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23
Syndiotactic polystyrene
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Synthesis and structure
Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond, $Co(CO)_3(PPh_3)_2BEt_3$, and mixed metal Co–Fe–S cluster with possible nonlinear optical property, $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$, 233

Tantalum
Dimers of highly π-loaded organoimido d^1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96
Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16
Temperature dependent paramagnetism
Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
Tetraanilinopyridinato-diruthenium(III) core
Synthesis and characterization of *trans*-phenylethynylalkynyl adducts on a tetraanilinopyridinato-diruthenium(III) core, 239
Theoretical chemical calculation
Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond, $Co(CO)_3(PPh_3)_2BEt_3$, and mixed metal Co–Fe–S cluster with possible nonlinear optical property, $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$, 233
Thiadiphosphole
Chemistry and ligating properties of the 1,2,4-thiadiphosphole $P_2SC_2Bu^t_2$, 7
Thioether ligands
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
Titanium
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Transition metal carbonyl complexes
A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$ and $Ph_2P(CH_2)_2S(CH_2)_2S(CH_2)_2PPh_2$ with Group 6 and 7 carbonyls, 55
Transition metals
Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
Transmetallation reactions
Tin–magnesium transmetallation reactions, 111
trans-phenylethynylalkynyl adducts
Synthesis and characterization of *trans*-phenylethynylalkynyl adducts on a tetraanilinopyridinato-diruthenium(III) core, 239
Triazines
Addition reactions of bis(trimethylsilyl)methyl- and 1-azzallyllithium with cyanoamines into triazines or β-diketiminatolithium compounds, 89
Triethanolamine
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
Tungsten
Dimers of highly π-loaded organoimido d^1 metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96
Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4′-dipyridyl unit, 39

X-ray crystallography
A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$ and $Ph_2P(CH_2)_2S(CH_2)_2S(CH_2)_2PPh_2$ with Group 6 and 7 carbonyls, 55
X-ray structure analysis
Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167

Zeolites
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with C_2-multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134